

Overzicht gangbare

# Aanlashedelen/ Aanbouwdelen

Andere aanbouwdelen op aanvraag

Bij bestelling graag de bestelcode doorgeven

## Inhoud:

Accord.....	4
Ahlmann .....	5
Atlas.....	7
Avant .....	8
Bobcat.....	9
Catterpillar .....	10
Claas .....	11
CW-haken .....	12
Deutz .....	13
Dieci.....	14
Driepuntbokken .....	15
Engcon .....	18
Euro .....	19
Everun.....	20
Faucheux.....	21
FEM (Heftruck).....	22
Fuchs.....	23
Gamma .....	24
Gehl .....	25
Giant .....	26
Hytec.....	27
Hitachi.....	28
JCB .....	29
John Deere.....	32
Kaweco .....	33
Knegt .....	34
Knikmops .....	35







Komatsu.....	36
Kramer .....	37
Kubota .....	38
Liebherr .....	39
Macks.....	40
Mailleux .....	41
Manitou .....	42
Matbro.....	43
Mecalac .....	44
Merlo .....	45
Multi-One .....	46
Mustang.....	47
New-Holland.....	48
Paus .....	49
Pichon .....	50
Sauerburger .....	51
Schaeff .....	52
Schäffer.....	54
Sennebogen .....	56
Sherpa.....	57
Striegel.....	58
Terex.....	59
Thaler.....	61
Veneri .....	62
Volvo.....	63
WD2000 .....	65
Weidemann .....	66
Werklust .....	67
Zettelmeyer .....	68

Merk / Type	Bestelcode	Prijs
1. Accord Tuinbouw	ATA1	€ 225,-
2. Accord Cat 0	ATA2	€ 225,-
3. Accord Cat 1/2/3	ATA3	€ 250,-

Merk / Type	Bestelcode	Prijs
1. Ahlmann shovel	AAH1	€ 225,-
2. Ahlmann shovel	AAH2	€ 225,-
3. Ahlmann shovel	AAH3	€ 250,-

Merk / Type	Bestelcode	Prijs
4. Ahlmann shovel	AAH4	€ 350,-



  





Merk / Type	Bestelcode	Prijs
1. Atlas minishovel	AAT1	€ 200,-
		
2. Atlas shovel	AAT2	€ 225,-
		
3. Atlas shovel	AAT3	€ 300,-
		


Merk / Type	Bestelcode	Prijs
1. Avant minishovel	AAV1	€ 200,-


Technical drawing of the Avant minishovel (AAV1) showing dimensions and 3D views. The drawing includes a side view with a height of 223 and a width of 20. A top view shows a width of 40 and a length of 414. A perspective view shows a length of 505. Three 3D views of the shovel head are shown: a top view, a side view, and a perspective view.



Merk / Type	Bestelcode	Prijs
1. Bobcat verreiker	ABO1	€ 350,-
 <p>Technical drawing of the Bobcat verreiker (ABO1) showing three views: a side view with dimensions <math>\varnothing 83.25</math> and <math>569.5</math>, a front view with dimensions <math>717</math> and <math>767</math>, and a perspective view.</p>		
2. Bobcat schranklader	ABO2	€ 200,-
 <p>Technical drawing of the Bobcat schranklader (ABO2) showing three views: a side view with dimension <math>403</math>, a top view with dimensions <math>1138</math>, <math>45</math>, and <math>800</math>, and a perspective view.</p>		

Merk / Type	Bestelcode	Prijs
1. Catterpillar verreiker	ACA1	€ 350,-
		
2. Catterpillar shovel	ACA2	250,-
		
3. Catterpillar shovel	ACA3	€225,-
		

Merk / Type	Bestelcode	Prijs
1. Claas verreiker	ACL1	€ 350,-
		




Bestelcode	A	B	C	D	E	F	Prijs per set
CW-B05	200	Ø 40	80	125	25	180	€ 200,-
CW-H05	200	Ø 40	80	80	25	180	€ 200,-
CW-T05	200	Ø 40	90	125	25	180	€ 225,-
CW-B10	300	Ø 50	70	150	25	315	€ 200,-
CW-H10	300	Ø 50	95	95	25	315	€ 200,-
CW-T10	300	Ø 50	70	150	25	315	€ 250,-
CW-B20/30	475	Ø 60	120	200	30	555	€ 375,-
CW-H20/30-1	475	Ø 60	140	140	30	555	€ 375,-
CW-H20/30-2	475	Ø 60	120	200	30	555	€ 375,-
CW-H20/30-3	475	Ø 60	240	160	30	555	€ 375,-
CW-T20/30	475	Ø 60	120	200	30	555	€ 500,-
CW-20/30 Balenklem	475	Ø 60	542	237	35	555	€ 575,-




Alle vermelde prijzen zijn exclusief B.T.W.




Alle maten zijn in millimeters

Merk / Type	Bestelcode	Prijs
1. Deutz verreiker	ADE1	€ 350,-




Merk / Type	Bestelcode	Prijs
1. Dieci verreiker	AD11	€ 350,-
2. Dieci verreiker	AD12	€ 350,-

Merk / Type	Bestelcode	Prijs
1. Tuinbouw	ATDT	€ 200,-
		
2. Categorie 0	ATD0	€ 200,-
		
3. Categorie 1	ATD1	€ 200,-
		

Merk / Type	Bestelcode	Prijs
4. Categorie 2	ATD2	€ 200,-
		
5. Categorie 3	ATD3	€ 225,-
		
6. Categorie 4 Laag	ATD4	€ 275,-
		



Merk / Type	Bestelcode	Prijs
7. Categorie 4 Hoog	ATD4	€ 275,-




The technical drawing illustrates the dimensions of the three-point hitch. It shows a side view with a height of 1100 mm. The hitch has a 70 mm offset from the vertical centerline at the top and another 70 mm offset at the bottom. The width of the hitch is 45 mm. The total length of the hitch is 1166.5 mm. The distance from the bottom centerline to the hitch is 50.8 mm. A large, faint 'KEMP Machines' watermark is visible in the background of the drawing.

Merk / Type	Bestelcode	Prijs
1. Engcon S60	AEN60	€ 350,-

## 7. Dimensions and tolerance table

Measurements (mm)	S30 /150	S30 /180	S40	S40 /240	S45	S50	S60	S70	S80	S90 /620	S90 /750	S100	S120
A -Tolerance	199,8 ±0,2	229,8 ±0,2	299,8 ±0,2	299,8 ±0,2	429,8 ±0,2	429,8 ±0,2	479,8 ±0,2	599,8 ±0,2	669,8 ±0,2	749,8 ±0,2	749,8 ±0,2	899,8 ±0,2	924,8 ±0,2
B -Tolerance	30 H9	30 H9	40 H9	40 H9	45 H9	50 H9	60 H9	70 H9	80 H9	90 H9	90 H9	100 H9	120 H9
C	Max 40	Max 45	Max 50	Max 50	Max 65	Max 65	Max 80	Max 100	Max 115	Max 125	Max 125	Max 150	Max 200
D -Tolerance	148 ±1	178 ±1	198 ±1	238 ±1	288 ±1	268 ±1	338 ±1	448 ±1	588 ±1	618 ±1	748 ±1	748 ±1	868 ±1
E -Tolerance	200,5 ±0,5	230,5 ±0,5	300,5 ±0,5	300,5 ±0,5	430,5 ±0,5	430,5 ±0,5	480,5 ±0,5	600,5 ±0,5	670,5 ±0,5	750,5 ±0,5	750,5 ±0,5	900,5 ±0,5	925,5 ±0,5
F	Min 45	Min 50	Min 55	Min 55	Min 70	Min 70	Min 85	Min 115	Min 135	Min 155	Min 155	Min 175	Min 240
G	Max 30	Max 30	Max 40	Max 40	Max 45	Max 45	Max 60	Max 75	Max 90	Max 110	Max 110	Max 125	Max 145
H	Max 85	Max 85	Max 100	Max 100	Max 125	Max 125	Max 150	Max 250	Max 250	Max 250	Max 250	Max 250	Max 250
I -Tolerance	152 ±1	182 ±1	202 ±1	242 ±1	292 ±1	272 ±1	342 ±1	452 ±1	592 ±1	622 ±1	752 ±1	752 ±1	872 ±1
J -Tolerance	30 f8	30 f8	40 f8	40 f8	45 f8	50 f8	60 f8	70 f8	80 f8	90 f8	90 f8	100 f8	120 f8
K	Max 260	Max 290	Max 380	Max 380	Max 520	Max 520	Max 600	Max 740	Max 830	Max 1000	Max 1000	Max 1150	Max 1250
L	Max 45	Max 50	Max 55	Max 55	Max 70	Max 70	Max 85	Max 115	Max 135	Max 200	Max 200	Max 250	Max 300
M	Max 62	Max 62	Max 72	Max 72	Max 77	Max 77	Max 92	Max 102	Max 122	Max 132	Max 132	Max 142	Max 162
N	Max 25	Max 25	Max 28	Max 28	Max 30	Max 30	Max 35	Max 40	Max 55	Max 70	Max 70	Max 75	Max 80


Merk / Type	Bestelcode	Prijs
1. Euro	ATEU1	€ 100,-
		

Merk / Type	Bestelcode	Prijs
1. Everun minishovel	AEV1	€ 225,-



The technical drawing illustrates the Everun minishovel (AEV1) with the following dimensions and views:

- Front View:** Shows a vertical profile with a total height of 410 units. The distance from the top edge to the start of the curved hook is 353 units. The top edge of the hook has a radius of R20.5. The bottom edge has a diameter of  $\varnothing 41$ .
- Side View:** Shows a vertical profile with a total height of 780 units and a thickness of 25 units.
- Isometric View:** Shows the 3D perspective of the minishovel.
- Detail View:** A separate view of the curved hook at the bottom of the minishovel.

Merk / Type	Bestelcode	Prijs
1. Faucheux	ATF1	€ 250,-



The technical drawing illustrates the dimensions and views of the mower blade (Faucheux). The main view shows a blade with a length of 915 mm and a thickness of 30 mm. The blade has a curved tip with a radius of R24 and a hole with a diameter of  $\varnothing 33.25$ . The distance from the hole to the tip is 329 mm, and the distance from the hole to the end of the blade is 215 mm. Two side views of the blade are also shown, one in a bent position and one in a straight position.

Merk / Type	Bestelcode	Prijs
1. FEM 2 (lepelbord Heftruck)	AFE2	€ 250,-
		
2. FEM 3 (lepelbord Heftruck)	AFE3	€ 300,-
		

Merk / Type	Bestelcode	Prijs
1. Fuchs minishovel	AFU1	€ 225,-
2. Fuchs minishovel	AFU2	€ 225,-



Merk / Type	Bestelcode	Prijs
1. Gamma minishovel	AGA1	€ 200,-




The technical drawing illustrates the Gamma minishovel (AGA1) with the following dimensions and views:

- Overall width: 505
- Overall height: 223
- Bottom flange width: 40
- Bottom flange height: 20
- Internal width: 414
- Internal height: 40


The drawing includes several views: a top view, a side view, a front view, and a perspective view. It also shows two different types of fasteners used for assembly: a bolt with a washer and a nut.



Merk / Type	Bestelcode	Prijs
1. Gehl minishovel	AGE1	€ 200,-
		
2. Gehl minishovel	AGE2	€ 200,-
		

Merk / Type	Bestelcode	Prijs
1. Giant minishovel smal	AGI1	€ 200,-
		
2. Giant minishovel breed	AGI2	€ 200,-
		
3. Giant minishovel breed	AGI3	€ 200,-
		

Merk / Type	Bestelcode	Prijs
1. Hytec	AHY1	€ 250,-



  


Merk / Type	Bestelcode	Prijs
1. Hitachi shovel	AHI1	€ 250,-

Technical drawing of a Hitachi shovel blade (AHI1). The drawing shows the blade profile with dimensions: 312 (height), R20.5 (radius), Ø41 (hole diameter), 25 (width), and 860 (length). The drawing includes a large watermark 'KEMP Machines'.

Merk / Type	Bestelcode	Prijs
1. JCB Quick Hitch	AJC1	€ 275,-
<p>Technical drawing of the JCB Quick Hitch (AJC1). The drawing includes a side view on the left showing a curved hook with a radius of R23, a vertical dimension of 250, and a hole diameter of Ø47. A front view in the center shows a vertical bar with a total length of 535 and a thickness of 30. To the right, there are two perspective views of the component.</p>		
2. JCB Tool carrier	AJC2	€ 275,-
<p>Technical drawing of the JCB Tool carrier (AJC2). The drawing includes a side view on the left showing a curved hook with a radius of R29.5, a vertical dimension of 489.5, a hole diameter of Ø35, and a horizontal offset of 95. A front view in the center shows a vertical bar with a total length of 502 and a thickness of 30. To the right, there are two perspective views of the component.</p>		
3. JCB Q-fit	AJC3	€ 350,-
<p>Technical drawing of the JCB Q-fit (AJC3). The drawing includes a side view on the left showing a curved hook with a radius of R30.5, a vertical dimension of 600, and a hole diameter of Ø37. A front view in the center shows a vertical bar with a total length of 1025 and a thickness of 30. To the right, there are two perspective views of the component.</p>		

Merk / Type	Bestelcode	Prijs
4. JCB minishovel	AJC4	€ 225,-
5. JCB minishovel	AJC5	€ 200,-
6. JCB shovel	AJC6	€ 250,-


Merk / Type	Bestelcode	Prijs
7. JCB shovel	AJC7	€ 250,-
		
8. JCB shovel	AJC8	€ 350,-
		




Merk / Type	Bestelcode	Prijs
1. John Deere verreiker	AJ01	€ 350,-
2. John Deere tuinbouw	AJ02	€ 250,-




Merk / Type	Bestelcode	Prijs
1. Kaweco (mini)shovel	AKA1	€ 100,-




Technical drawing of a Kaweco (mini)shovel. The drawing shows a side view and a top view. The side view shows a vertical blade with a rounded top (R20), a handle with a hole, and a width of 300. The top view shows a rectangular blade with a length of 1080 and a width of 40. The handle has a width of 20. The distance between the handle and the blade is 790. The drawing is overlaid with a large 'KEMP Machines' watermark.



Merk / Type	Bestelcode	Prijs
1. Knegt	AKG1	€ 100,-
		

Merk / Type	Bestelcode	Prijs
<p>1. Knikmops minishovel</p> 	<p>AKN1</p>	<p>€ 200,-</p>
<p>2. Knikmops minishovel</p> 	<p>AKN2</p>	<p>€ 200,-</p>
<p>3. Knikmops minishovel</p> 	<p>AKN3</p>	<p>€ 200,-</p>

Merk / Type	Bestelcode	Prijs
1. Komatsu shovel	AKO1	€ 250,-



Merk / Type	Bestelcode	Prijs
<p>1. Kramer minishovel</p> 	AKR1	€ 200,-
<p>2. Kramer shovel</p> 	AKR2	€ 250,-
<p>3. Kramer verreiker</p> 	AKR3	€ 350,-


Merk / Type	Bestelcode	Prijs
1. Kubota minishovel	AKU1	€ 225,-
		
2. Kubota minishovel	AKU2	€ 200,-
		



Merk / Type	Bestelcode	Prijs
1. Liebherr shovel	ALI1	€ 250,-
2. Liebherr shovel	ALI2	€ 350,-
3. Liebherr shovel	ALI3	€ 500,-


Merk / Type	Bestelcode	Prijs
1. Macks minishovel	AMK1	€ 275,-
2. Macks minishovel	AMK2	€ 275,-



Merk / Type	Bestelcode	Prijs
1. Mailleux	ATM1	€ 225,-



Merk / Type	Bestelcode	Prijs
1. Manitou verreiker (buis)	AMA1	€ 350,-
 <p>Technical drawing of the Manitou verreiker (buis) showing dimensions: Ø82, 351, Ø36, 41, 840, 750, 20. Includes 3D perspective views.</p>		
2. Manitou verreiker (pin-cone)	AMA2	€ 350,-
 <p>Technical drawing of the Manitou verreiker (pin-cone) showing dimensions: Ø34.5, 20, 370, 1176, 1066, Ø81. Includes 3D perspective views.</p>		

Merk / Type	Bestelcode	Prijs
1. Matbro verreicher (pin cone)	AMB1	€ 350,-
		

Merk / Type	Bestelcode	Prijs
1. Mecalac	AMC1	Op aanvraag




Technical drawing of the Mecalac AMC1 component. The drawing includes a side view with dimensions: a total length of 411, a height of 100, and a hole diameter of Ø50. A detail view shows a section with a width of 25 and a length of 350. Two perspective views of the component are also shown.

Merk / Type	Bestelcode	Prijs
1. Merlo ZM1 verreiker	AME1	€ 250,-
2. Merlo ZM2 verreiker	AME2	€ 250,-
3. Merlo ZM3 verreiker	AME3	€ 300,-


Merk / Type	Bestelcode	Prijs
1. Multi-One minishovel	AMO1	€ 200,-

The technical drawing illustrates the Multi-One minishovel (AMO1) with the following dimensions and views:

- Overall dimensions:** A height of 223 and a width of 414.
- Component dimensions:** Individual components are shown with a width of 40 and a height of 20.
- Assembly length:** The distance between the centers of the two main components is 505.
- Views:** The drawing includes a side profile, a top-down view, and three isometric views of the individual components.

Merk / Type	Bestelcode	Prijs
1. Mustang minishovel	AMU1	€ 200,-
		
2. Mustang minishovel	AMU2	€ 200,-
		
3. Mustang minishovel	AMU3	€ 200,-
		


Merk / Type	Bestelcode	Prijs
1. New-Holland verreiker	ANE1	€ 350,-



Technical drawing of the New-Holland verreiker (ANE1) showing dimensions: R40.75, 354, Ø37, 30, 770. The drawing includes a side view with a hook, a front view, and two perspective views.



Merk / Type	Bestelcode	Prijs
1. Paus shovel	APA1	€ 300,-




The technical drawing illustrates the Paus shovel (APA1) with the following dimensions and views:

- Dimensions:**
  - Radius: R25,5
  - Height: 380
  - Width: 30
  - Length: 580
  - Pin diameter: Ø42
- Views:**
  - Left view: Profile of the shovel head with a curved top edge.
  - Top view: Shows the length and width of the shovel head.
  - Right view: Shows the side profile of the shovel head.
  - Bottom view: Shows the underside of the shovel head.




Merk / Type	Bestelcode	Prijs
1. Pichon minishovel	API1	€ 250,-

Technical drawing of the Pichon minishovel (API1) showing dimensions and views. The drawing includes a side view with dimensions: 323.3 (total height), 400 (height to the top edge), R20.5 (top edge radius), R25 (bottom edge radius), and Ø36 (hole diameter). A top view shows a width of 25 and a length of 556. Three perspective views of the tool are also shown.


Merk / Type	Bestelcode	Prijs
1. Sauerburger minishovel	ASA1	€ 200,-





Technical drawing of the Sauerburger minishovel (ASA1) showing dimensions: R20.5, 322.5, Ø37, 662, and 30. The drawing includes a side view with a hook, a top view, and a perspective view.

Merk / Type	Bestelcode	Prijs
1. Schaeff shovel	ASH1	€ 250,-
		
2. Schaeff shovel	ASH2	€ 300,-
		
3. Schaeff shovel	ASH3	€ 350,-
		

Merk / Type	Bestelcode	Prijs
4. Schaeff shovel	ASH4	€ 350,-



Merk / Type	Bestelcode	Prijs
1. Schäffer minishovel (oud)	ASC1	€ 225,-
<p>55 345 305 810 520 OF 620 Doorgegeven bij bestelling.</p>		
2. Schäffer minishovel haak (nieuw)	ASC2	€ 225,-
<p>R21 280 Ø32 645 595 25</p>		
3. Schäffer shovel	ASC3	€ 250,-
<p>R21 280.5 Ø43.5 760 700 30</p>		

Merk / Type	Bestelcode	Prijs
4. Schäffer shovel	ASC4	€ 250,-
		
5. Schäffer shovel	ASC5	€ 300,-
		

# Sennebogen

Merk / Type	Bestelcode	Prijs
1. Sennebogen	ASE1	€ 300,-

Technical drawing of a Sennebogen (fork) showing dimensions: R35.5, 490, Ø41, and 970. The drawing includes a side view with dimensions, a top view, and two perspective views of the component.



Merk / Type	Bestelcode	Prijs
1. Sherpa minishovel	ASP1	€ 300,-


The technical drawing illustrates the Sherpa minishovel (ASP1) with the following dimensions and features:

- Overall height: 325.5
- Top width: 27
- Internal offset: 35.5
- Bottom diameter: Ø32
- Distance between mounting points: 154
- Overall length: 622
- Angle of the shovel head: 135°




The drawing includes several views: a side view, a top view, a perspective view of the shovel head, and a perspective view of the mounting bracket. The background features a large, semi-transparent watermark of the KEMP Machines logo.

## Striegel

Merk / Type	Bestelcode	Prijs
1. Striegel minishovel	AST1	€ 250,-




The technical drawing illustrates the assembly of a scraper blade. The main dimensions are 805 mm for the total length and 445 mm for the height. A 40 mm offset is shown for the top edge. A 90 mm dimension is indicated for the bottom edge of the blade. A 65 mm dimension is shown for the width of the mounting bracket. The drawing includes several views of the components: a top view of the blade, a side view of the blade, a perspective view of the blade, a perspective view of the mounting bracket, and a perspective view of the scraper edge. The background features a large, faint watermark of the KEMP Machines logo.

Merk / Type	Bestelcode	Prijs
1. Terex verreiker	ATE1	€ 300,-
		
2. Terex shovel	ATE2	€ 250,-
		
3. Terex shovel	ATE3	€ 300,-
		




Merk / Type	Bestelcode	Prijs
4. Terex shovel	ATE4	€ 350,-
5. Terex shovel (Volvo-aansluiting)	ATE5	€ 350,-

Merk / Type	Bestelcode	Prijs
1. Thaler minishovel	ATH1	€ 250,-





Technical drawings of the Thaler minishovel. The top left drawing is a side view showing a width of 760 and a height of 25. The bottom left drawing is a top view showing a width of 160. The right drawing is a detailed side view of the shovel head with dimensions: 54, 41, 270, 400, 30, and 35.

Merk / Type	Bestelcode	Prijs
1. Veneri shovel	AVE1	€ 300,-
2. Veneri shovel	AVE2	€ 300,-

Merk / Type	Bestelcode	Prijs
1. Volvo shovel	AVO1	€ 250,-
		
2. Volvo shovel	AVO2	€ 250,-
		
3. Volvo shovel	AVO3	€ 300,-
		

Merk / Type	Bestelcode	Prijs
4. Volvo shovel	AVO4	€ 350,-
5. Volvo shovel	AVO5	€ 500,-



Merk / Type	Bestelcode	Prijs
1. WD2000 shovel (klasse 5-6)	AWD1	€ 500,-
 <p>Technical drawing of the WD2000 shovel (klasse 5-6). The drawing includes a side view with a radius of R52.5 and a height of 415. A top view shows a width of 80 and a thickness of 15. A perspective view shows the shovel's profile. The drawing is overlaid with a large 'KEMP Machines' watermark.</p>		
2. WD2000 shovel (klasse 7-8)	AWD2	€ 600,-
 <p>Technical drawing of the WD2000 shovel (klasse 7-8). The drawing includes a side view with a radius of R65 and a height of 515. A top view shows a width of 90 and a thickness of 20. A perspective view shows the shovel's profile. The drawing is overlaid with a large 'KEMP Machines' watermark.</p>		

Merk / Type	Bestelcode	Prijs
1. Weidemann minishovel	AWE1	€ 200,-
2. Weidemann shovel	AWE2	€ 425,-
3. Weidemann minishovel	AWE3	€ 250,-

Merk / Type	Bestelcode	Prijs
1. Werklust shovel	AWR1	€ 450,-

Technical drawing of a shovel attachment (Werklust shovel) showing dimensions and views. The drawing includes a side view with dimensions: R51.25, 423.6, and Ø52. A top view shows a width of 30 and a length of 1130. A side view shows a length of 1150. Two perspective views of the shovel attachment are also shown.

Merk / Type	Bestelcode	Prijs
1. Zettelmeyer shovel	AZE1	€ 250,-
2. Zettelmeyer/Volvo shovel	AVO1	€ 250,-
3. Zettelmeyer/Volvo shovel	AVO2	€ 250,-

Merk / Type	Bestelcode	Prijs
4. Zettelmeyer/Volvo shovel	AVO3	€ 300,-

